

## FSB 6 Fluid head



**Sensitive, fast and robust – small heads for awesome shots:** Perfectly designed for all users of MiniDV and (H)DV cameras, Sachtler's new fluid heads have payloads ranging from 0 to 2 kg / 0 to 4.4. lb (FSB 2) and 1 to 6 kg / 2.2 to 13.2 lb (FSB 6). The FSB 6 is the only in its class to feature Sachtler's Snap & Go sideload mechanism which boasts an exceptionally large sliding range of 120 mm / 4.7" and 10-step counterbalance. This ensures extremely fine and fast balancing. Alternatively, the head is also available with the classic Touch & Go camera plate. The smaller FSB 2 offers counterbalance settings of 1 and 0, while both fluid heads have three horizontal and three vertical grades of drag plus 0. No compromises have been made with regard to the damping, which is based on the same construction principles as the „large“ heads.

### Works with SOOM


Sachtler's new fluid heads FSB 2 and FSB 6 and the FSB CELL are all components of the SOOM modular construction system.

### Technical Facts


Weight	2 kg / 4.4 lbs
Payload	1 - 6 kg / 2.2 - 13.2 lbs
Sliding range - plate	120 mm / 4.7 in
Counterbalance	in 10 steps
Grades of drag	3 each horizontal and vertical + 0
Tilt range	+90/-75°
Temperature range	-40° to +60° C / -40 to +140° F
Camera fitting	Sideload plate S
Tripod/Pedestal fitting	75 mm bowl, integrated flat base fitting
Pan bar(s)	1, Type DV 75
Level	self-illuminating Touch Bubble
Batteries Level	1x CR2032
Adapter viewfinder extension	optionally

### Payload

C.O.G.* min. kg / max.	
50 / 2"	1.6 / 3.5 8.5 /
75 / 3"	1.3 / 2.9 6.9 /
100 / 4"	1.1 / 2.5 5.9 /
125 / 5"	1.0 / 2.1 5.1 /
150 / 6"	0.9 / 1.9 4.5 / 9.9
175 / 7"	0.8 / 1.7 4.0 / 8.9
200 / 8"	0.7 / 1.5 3.6 / 8.0




Kameraplattform  
Counterbalance



Damping

Dämpfungsstufe



Dimensions

## Further photos



## Order data

Article	Order code
FSB 6 Fluid head	0407

This product is also available in the following systems:

Article	Order code
<b>SOOM FSB 6 System</b>	0480
<b>System FSB 6</b>	0470
<b>System FSB 6 / 2 D</b>	0471
<b>System FSB 6 MD</b>	0472
<b>System FSB 6 / 2 MD</b>	0473
<b>System FSB 6 SL MCF</b>	0475
<b>System FSB 6 TT 75/2 CF</b>	0478

## Accessories



Adapter 75/100



Pan bar DV right  
(telescopic)



Pan bar DV left  
(telescopic)



Adapter block  
FSB 6 / 8



Accessory  
adapter



Accessory  
adapter with  
clamping (Ø16  
mm)



FSB CELL



FSB  
CELLCharger



Cable Adapter  
FSB CELL Sony  
I



Cable Adapter  
FSB CELL Sony  
II



Cable Adapter  
FSB CELL  
Canon



Cable Adapter  
FSB CELL  
Panasonic



DSLR plate

*set your ideas in motion!*