

SMALLHD
smallhd.com/ultra10



Ultra 10

The Big, Small, Powerful,
Monitoring Solution.



Ultra-Bright. Feature-Packed. Weather-Resistant.

Ultra 10 strikes the perfect balance between screen size and portability with a feature-packed 10-inch Ultra-Bright Monitor designed to adapt to any production scenario. Experience up to 2000nits of brightness, 6G-SDI architecture, a lightweight, impact-resistant, IP54-certified form factor, and more ways than ever to customize your PageOS workflow via touchscreen, joystick, large tactile buttons, and new multi-function knobs. Ultra 10 is ideal for precision focus-pullers, pursuit vehicles, directors, DITs and anyone who wants a full-featured Ultra-Bright monitor in a rugged, highly portable form factor.

Ultra 10 Specs

Max Brightness: Up to 2000nits


Camera Control: ARRI, RED®, Sony

4Kp60 End-to-End Workflows: 6G-SDI

Resolution: 1920x1200

Weatherproof Rating: IP54

Multi-Function Tactile Control: Knobs





Built-in Wireless Video

Teradek Bolt 6 arrives, fully contained, for the ultra-bright 10-inch monitor. Rugged and protected from the elements, this is a monitor that can withstand even the most destructive directors.

Built-in Bolt 6 units utilize the clear airwaves of the newly-open 6GHz spectrum, with RX models that are compatible with any Teradek Bolt 6, and backwards-compatible with any Bolt 4K system in 5GHz mode.



BACKWARDS COMPATIBLE

Works with Teradek
Bolt 4K and Bolt 6



LONG RANGE

750ft & 1500ft range
models available



SEAMLESS DESIGN

Ergonomic, Cable-Free
Workflow



Designed to Withstand the Elements

Built into a rugged, shock-resistant chassis designed to withstand production and environmental rigors alike, Ultra 10 is designated with an IP54 rating, defined as protected against harmful dust and water spray from all directions.



FULLY SEALED

All electronic components are cap-sealed to protect against dust and water.



IMPACT RESISTANT

Shock-absorbing bumpers withstand most drops, tumbles, and impacts.



THERMAL MANAGEMENT

Ultra 10 can safely operate in extreme temperatures from 0°-40°C.



STRENGTH & DURABILITY

Strong, durable chassis with raised edges for enhanced screen protection.



SPLASH RESISTANT

Extra protection in damp, wet, and windy conditions.



QD-LED Edge-Lit LCD Panel Technology

Ultra 10's LEDs are built into an edge-lit panel stack that diffuses and focuses the light through a quantum-dot film, ensuring incredible brightness, excellent image fidelity, ultra-pure color accuracy, and the highest tolerance for color uniformity.

PageOS on Ultra 10



Look-Around Camera Control: View and adjust crucial camera-control functions and PageOS tools at the same time with a camera-control interface anchored to every page.



Teradek RT Integration: View critical lens, focus, iris, and zoom data on your monitor. Quickly create, edit, and delete visual marks on the focus scale, set on-screen limits, and even pinch-zoom the scale.



Knob Functions: Four customizable encoder knobs let you change PageOS tools and settings on the fly with capacitive-touch, long-push, short-push, and rotary functionality.

Multi-View: We've added the powerful Multi-View* tools from our 4K Production Monitors to Ultra 10. View two camera feeds and use multiple tools pages on screen at the same time, side-by-side.



Custom Function Buttons: Easily accessible physical buttons give you full control of the monitor, even when you're wearing gloves. Assign workflow shortcuts for software tools, switch inputs, adjust display brightness, and more.



Camera Control



ARCA Rail



Sunhood



Camera ID & Tally Light



Micro Battery Plates



Ultra QR Monitor Mount

Explore the Accessories (Sold Separately)

- Camera Control Licenses for RED®, ARRI, and Sony VENICE.
- ARCA Rail
- Sunhood
- Camera ID & Tally Light
- Micro Battery Plates
- Ultra QR Monitor Mount